

MATERIAL SAFETY DATA SHEET

PARALL

LTÉE
LTD

PRODUITS SANITAIRES
SANITARY PRODUCTS

2970 Bergman, Laval (Québec) CANADA H7L 3P4
Téléphone : (450) 687-6666 Télécopieur : (450) 687-7646 1(800) 661-6660
E-mail : parall @bellnet.ca

PRODUCT INFORMATION

PRODUCT NAME <i>EQUINOX</i>	WHMIS CLASS: <i>D2B</i>
CHEMICAL FAMILY <i>ACRYLIC POLYMER</i>	

PHYSICAL PROPERTIES

APPEARANCE AND ODOUR	<i>LIQUID</i>	<i>WHITE TRANSLUCIDE</i>	<i>PLEASANT</i>
BOILING POINT (°C)	<i>N.D.</i>	EVAPORATION RATE (<i>nBuAc</i> = 1)	<i>N.D.</i>
VAPOR PRESSURE (mm Hg)	<i>N.D.</i>	VISCOSITY (cps) 22°C 20rpm spindle #	<i>N.D.</i>
VAPOR DENSITY (AIR = 1)	<i>N.D.</i>	FREEZING POINT (°C)	<i>N.D.</i>
SOLUBILITY IN WATER	<i>DILUABLE</i>	pH	<i>8,4</i>
VOLATILE BY VOLUME (%)	<i>78,1</i>	SPECIFIC GRAVITY (WATER = 1)	<i>1,028</i>
ACTIVE MATERIAL (%)	<i>30,8</i>	THEORETICAL SOLID CONTENTS (%)	<i>21,9</i>

HAZARDOUS INGREDIENTS

INGREDIENTS	CAS OR UN number	%	TLV (units) ACGIH
<i>DIETHYLENEGLYCOL METHYL ETHER</i>	<i>CAS 111-77-3</i>	<i>1-5</i>	<i>N.D.</i>
<i>DIPROPYLENEGLYCOL METHYL ETHER</i>	<i>CAS 34590-94-8</i>	<i>1-5</i>	<i>100 ppm</i>
<i>DIBUTYL PHTHALATE</i>	<i>CAS 84-74-2</i>	<i>1-5</i>	<i>5 mg / mètre cube</i>
<i>ACRYLIC EMULSION</i>	<i>N/Av</i>	<i>7-13</i>	<i>N.D.</i>
<i>POLYETHYLENE WAX</i>	<i>CAS 26713-18-8</i>	<i>1-5</i>	<i>N.D.</i>
<i>POLYETHYLENE WAX</i>	<i>CAS 68441-17-8</i>	<i>1-5</i>	<i>N.D.</i>
<i>TRIBUTOXYETHYL PHOSPHATE</i>	<i>CAS 78-51-3</i>	<i>1-5</i>	<i>N.D.</i>
<i>POLYPROPYLENE WAX</i>	<i>N/Av</i>	<i>1-5</i>	<i>N.D.</i>

FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used): <i>NON-FLAMMABLE</i>	
FLAMMABLE LIMITS	LOWER: <i>N/Av</i> UPPER: <i>N/Av</i>
EXTINGUISHING MEDIA:	<i>N/Av</i>
SPECIAL FIRE FIGHTING PROCEDURES:	<i>N/Av</i>
UNUSUAL FIRE AND EXPLOSIVE HAZARDS:	<i>N/Av</i>
AUTOIGNITION TEMPERATURE:	<i>N/Av</i>
DATE: <i>March 28, 2007</i>	phone:(450) 687-6666 1-800-661-6660 Marc Lessard,chemist
	DIRECTOR R&D

MATERIAL SAFETY DATA SHEET

PARALL

LTÉE
LTD

PRODUITS SANITAIRES
SANITARY PRODUCTS

2970 Bergman, Laval (Québec) CANADA H7L 3P4
Téléphone : (450) 687-6666 Télécopieur : (450) 687-7646 1(800) 661-6660
E-mail : parall@bellnet.ca

EQUINOX

TOXICOLOGICAL PROPERTIES

THRESHOLD LIMIT VALUE: N.D.

EFFECTS OF OVEREXPOSURE:

SKIN CONTACT: IRRITATION

EYE CONTACT: IRRITATION AND REDNESS

INHALATION MAY CAUSE TRACK IRRITATION

INGESTION IRRITATION

EMERGENCY AND FIRST AID PROCEDURES:

SKIN CONTACT: RINSE WITH WATER

EYE CONTACT: RINSE WITH PLENTY OF WATER; SEE A PHYSICIAN

INHALATION REMOVE VICTIM TO FRESH AIR

INGESTION DRINK LARGE QUANTITY OF WATER; SEE A PHYSICIAN

REACTIVITY DATA

STABLE: STABLE

CONDITIONS TO AVOID: KEEP FROM FREEZING

INCOMPATIBILITY WITH: N/Av

HAZARDOUS DECOMPOSITION PRODUCTS: N/Av

HAZARDOUS POLYMERIZATION: NO CONDITIONS TO AVOID: N/Av

SPILL OR LEAK PROCEDURES

PREVENTIVES MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

PICK-UP WITH ABSORBANT MATERIAL AND TRANSFER INTO CONTAINERS FOR DISPOSAL. FLUSH AREA WITH WATER

WASTE DISPOSAL METHOD:

FOLLOW FEDERAL, PROVINCIAL AND LOCAL ORDINANCES IN REGARDS TO WATER BASED WAXES

SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: N/Av

VENTILATION MECHANICAL GENERAL

PROTECTIVE GLOVES: RUBBER

EYE PROTECTION: GOGGLES

OTHER PROTECTIVE EQUIPMENT: N/Av

MATERIAL SAFETY DATA SHEET

PARALL

LTÉE
LTD

PRODUITS SANITAIRES
SANITARY PRODUCTS


2970 Bergman, Laval (Québec) CANADA H7L 3P4
Téléphone : (450) 687-6666 Télécopieur : (450) 687-7646 1(800) 661-6660
E-mail : parall@bellnet.ca

EQUINOX

SPECIAL PRECAUTIONS

STORAGE TEMPERATURE	MIN 1°C	MAX FRAIS & SEC
TDG: N.R.		COOL AND DRY AREA

NFPA



SIMD / HMIS

Santé / Health	1
Inflammabilité / Flammability	0
Réactivité / Reactivity	0
Protection personnelle / Personal protection	b